

## Ratchet Wrench



| Item #  | Size | Total Length (mm) | Ratchet Teeth Count | Qty/Ctn |
|---------|------|-------------------|---------------------|---------|
| D032103 | 1/2" | 250               | 45T                 | 1/6/24  |



**CR-MO ALLOY RATCHET HEAD**  
Extra Durable Construction



**QUICK-RELEASE & REVERSIBLE LEVER**  
Effortless Operation



**PP+TPR HANDLE**  
Comfortable Grip

## 24 Pcs 1/2" Socket Set 12.5mm



| Item #  | Size | Quantity | Qty/Ctn |
|---------|------|----------|---------|
| D033924 | 1/2" | 24pcs    | 1/-/5   |


- 18 Pcs 1/2" Hex Socket Set size:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 2pcs 1/2" Extension bar(5", 10")
- 1pcs 1/2" Sliding T bar (10")
- 1pcs 1/2" Universal joint
- 1pcs 1/2" Pivoting Handle (15")
- 1pcs 1/2" 45T Quick Ratchet Handle

## 10 Pcs 1/2" Socket Set 12.5mm



| Item #  | Size | Qty    | Components                                                 | Qty/Ctn |
|---------|------|--------|------------------------------------------------------------|---------|
| D034405 | 1/2" | 10 Pcs | 10 Pcs 1/2" sockets size:10,11,12,13,14,15,17,19, 21, 24mm | 1/12/24 |

## 12 Pcs 1/2" Socket Set 12.5mm



| Item #  | Size | Qty   | Components     | Qty/Ctn |
|---------|------|-------|----------------|---------|
| D034406 | 1/2" | 12pcs | 10 Pcs sockets | 1/3/12  |

- CRV material, overall heat-treated
- Matte pearl nickel surface-plated surface, rust-proof and aesthetically pleasing
- Portable set, easy to carry
- Complete specifications, suitable for various scenarios

## Combination spanner set



| Item #   | Qty   | Components (mm)                              | Qty/Ctn |
|----------|-------|----------------------------------------------|---------|
| D051612A | 12pcs | 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 | 1/4/8   |
| D051612B | 12pcs | 6, 8, 10, 12, 14, 17, 19, 22, 24, 27, 30, 32 | 1/4/8   |

- Forged from premium tool steel, fully heat-treated for superior strength
- Matte satin chrome-plated surface, rust-proof and corrosion-resistant
- A storage pouch - easy to store and carry

### Adjustable Wrench (Steel Handle)

| Item #  | Size             | Length (mm) | Adjustable Clamp Size | Qty/Ctn |
|---------|------------------|-------------|-----------------------|---------|
| D053706 | 6" Steel Handle  | 150         | 19mm                  | 1/6/72  |
| D053708 | 8" Steel Handle  | 200         | 24mm                  | 1/6/60  |
| D053710 | 10" Steel Handle | 250         | 32mm                  | 1/6/48  |
| D053712 | 12" Steel Handle | 300         | 36mm                  | 1/6/36  |

- Forged from premium tool steel with precision-polished head and chrome-plated surface
- With deepened, laser-engraved markings for easy reading of the opening size.



| Item #  | Size | Length (mm) | Shear Capacity (mm)           | Qty/Ctn  |
|---------|------|-------------|-------------------------------|----------|
| D070106 | 6"   | 160         | CW: 2.4<br>IW: 2.0<br>SW: 1.6 | 1/10/100 |
| D070107 | 7"   | 180         | CW: 2.4<br>IW: 2.0<br>SW: 1.6 | 01/10/80 |
| D070108 | 8"   | 200         | CW: 2.4<br>IW: 2.0<br>SW: 1.6 | 01/10/60 |

\*CW:Copper wire IW:Iron wire SW:Steel wire

- Forged from 55# steel,high strength and toughness
- 2-color PVC handle, ergonomic, comfortable grip
- High-frequency quenched blade edge, sharp shearing

### Combination Pliers



| Item #  | Size | Length (mm) | Shear Capacity (mm)           | Qty/Ctn  |
|---------|------|-------------|-------------------------------|----------|
| D070116 | 6"   | 160         | CW: 2.4<br>IW: 2.0<br>SW: 1.6 | 1/10/100 |
| D070118 | 8"   | 200         | CW: 3.0<br>IW: 2.8<br>SW: 1.8 | 1/10/100 |

\*CW:Copper wire IW:Iron wire SW:Steel wire

- Forged from 55# steel,high strength and toughness
- 2-color PVC handle, ergonomic, comfortable grip
- High-frequency quenched blade edge, sharp shearing

### Long Nose Pliers



| Item #  | Size | Length (mm) | Shear Capacity (mm)           | Qty/Ctn  |
|---------|------|-------------|-------------------------------|----------|
| D070126 | 6"   | 160         | CW: 2.4<br>IW: 2.0<br>SW: 1.6 | 1/10/100 |
| D070127 | 7"   | 280         | CW: 3.4<br>IW: 2.4<br>SW: 1.6 | 01/10/80 |

\*CW:Copper wire IW:Iron wire SW:Steel wire

- Forged from 55# steel,high strength and toughness
- 2-color PVC handle, ergonomic, comfortable grip
- High-frequency quenched blade edge, sharp shearing

### Diagonal Cutting Pliers



## Mini Long Nose Pliers



| Item #         | Size | Length (mm) | Qty/Ctn  |
|----------------|------|-------------|----------|
| <b>D070603</b> | 5"   | 125         | 1/10/240 |

- Dual-color plastic-dipped textured handle, comfortable grip
- Built-in shrapnel design for easy operation.

## Mini Needle Nose Pliers



| Item #         | Size | Length (mm) | Qty/Ctn  |
|----------------|------|-------------|----------|
| <b>D070604</b> | 6"   | 150         | 1/10/240 |

- Dual-color plastic-dipped textured handle, comfortable grip
- Built-in shrapnel design for easy operation.

## Mini Bent Nose Pliers



| Item #         | Size | Length (mm) | Qty/Ctn  |
|----------------|------|-------------|----------|
| <b>D070605</b> | 5"   | 125         | 1/10/240 |

- Dual-color plastic-dipped textured handle, comfortable grip
- Built-in shrapnel design for easy operation.

## Mini Diagonal Cutting Pliers



| Item #         | Size | Length (mm) | Qty/Ctn  |
|----------------|------|-------------|----------|
| <b>D070606</b> | 4.5" | 115         | 1/10/240 |

- Dual-color plastic-dipped textured handle, comfortable grip
- Built-in shrapnel design for easy operation.

## Mini End Cutting Pliers



| Item #         | Size | Length (mm) | Qty/Ctn  |
|----------------|------|-------------|----------|
| <b>D070607</b> | 4"   | 100         | 1/10/240 |

- Dual-color plastic-dipped textured handle, comfortable grip
- Built-in shrapnel design for easy operation.

| Item #  | Size | Opening Size (mm) | Clamping Depth (mm) | Clamping Force (KN) | Qty/Ctn |
|---------|------|-------------------|---------------------|---------------------|---------|
| D070705 | 5"   | 115               | 90                  | 20                  | 1/1/1   |
| D070706 | 6"   | 140               | 95                  | 26                  | 1/1/1   |

- High-quality ductile iron - longer product lifespan
- High-carbon steel quenched jaws, more secure grip

### Bench Vice



| Item #  | Size (mm) | Clamp Force | Qty     |
|---------|-----------|-------------|---------|
| D071201 | 50*150    | 170KG       | 1/10/50 |
| D071202 | 50*200    | 170KG       | 1/10/50 |
| D071203 | 50*250    | 170KG       | 1/10/50 |
| D071204 | 80*300    | 270KG       | 1/1/20  |
| D071205 | 120*300   | 450KG       | 1/1/10  |
| D071207 | 120*500   | 450KG       | 1/1/6   |
| D071209 | 120*800   | 450KG       | 1/1/6   |

- Forged from high-quality steel, no deformation with long-term use
- Non-slip tooth pattern on the rod body, secure grip without loosening


### F Clamp with Plastic Handle



| Item #  | Size (mm) | Clamp Force | Qty    |
|---------|-----------|-------------|--------|
| D071301 | 63*150    | 70KG        | 1/6/24 |
| D071302 | 63*300    | 70KG        | 1/6/24 |

- Forged from high-quality steel, no deformation with long-term use
- Quick clamping secure and non-loosening

### Quick Bar Clamp



| Item #  | Size | Length (mm) | Head Diameter (mm) | Clamping Range (mm) | Qty/Ctn |
|---------|------|-------------|--------------------|---------------------|---------|
| D071402 | 7"   | 180         | 1.4                | 12-65               | 1/6/60  |

- Forged from high-quality carbon steel, Sturdy and durable
- Black oxide treatment, Anti-rust and corrosion-resistant

### Circlip Pliers



## Circlip Pliers



Straight Head



| Item #         | Size | Length (mm) | Head Diameter (mm) | Clamping Range (mm) | Qty/Ctn |
|----------------|------|-------------|--------------------|---------------------|---------|
| <b>D071406</b> | 7"   | 180         | 1.4                | 12-65               | 1/6/60  |

- Forged from high-quality carbon steel,Sturdy and durable
- Black oxide treatment,Anti-rust and corrosion-resistant

## Circlip Pliers



Bent Head



| Item #         | Size | Length (mm) | Head Diameter (mm) | Clamping Range (mm) | Qty/Ctn |
|----------------|------|-------------|--------------------|---------------------|---------|
| <b>D071410</b> | 7"   | 165         | 1.4                | 12-65               | 1/6/60  |

- Forged from high-quality carbon steel,Sturdy and durable
- Black oxide treatment,Anti-rust and corrosion-resistant

## Circlip Pliers



Bent Head



| Item #         | Size | Length (mm) | Head Diameter (mm) | Clamping Range (mm) | Qty/Ctn |
|----------------|------|-------------|--------------------|---------------------|---------|
| <b>D071414</b> | 7"   | 165         | 1.4                | 12-65               | 1/6/60  |

- Forged from high-quality carbon steel,Sturdy and durable
- Black oxide treatment,Anti-rust and corrosion-resistant

## Curved Jaw Locking Pliers



| Item #         | Size | Length (mm) | Opening Size (mm) | Qty/Ctn |
|----------------|------|-------------|-------------------|---------|
| <b>D071602</b> | 7"   | 185         | 41±3              | 1/6/48  |
| <b>D071603</b> | 10"  | 220         | 43±3              | 1/6/36  |

- Forged from high-quality carbon steel,Sturdy and durable
- One-piece stamped handle,Screw fine-tuning

## Long Nose Locking Plier



| Item #         | Size | Length (mm) | Opening Size (mm) | Qty/Ctn |
|----------------|------|-------------|-------------------|---------|
| <b>D071605</b> | 9"   | 217         | 73±3              | 1/6/36  |

- Forged from high-quality carbon steel,Sturdy and durable
- One-piece stamped handle,Screw fine-tuning

### Pipe Wrench



| Item #  | Size | Opening Size (mm) | Length (mm) | Qty/Ctn |
|---------|------|-------------------|-------------|---------|
| D071708 | 8"   | 25                | 210         | 1/6/54  |
| D071712 | 12"  | 40                | 300         | 1/6/24  |
| D071714 | 14"  | 50                | 350         | 1/6/18  |
| D071718 | 18"  | 60                | 450         | 1/4/12  |
| D071724 | 24"  | 75                | 600         | 1/2/8   |
| D071736 | 36"  | 85                | 900         | 1/1/4   |
| D071748 | 48"  | 110               | 1200        | 1/1/2   |

- High-carbon steel forged jaw, sturdy and durable
- Precision wear-resistant teeth for stronger gripping force



### Slip Joint Pliers



| Item #  | Size | Length (mm) | Clamping Range (mm) | Qty     |
|---------|------|-------------|---------------------|---------|
| D071806 | 6"   | 150         | 4-25                | 1/10/80 |
| D071808 | 8"   | 200         | 5-30                | 1/10/60 |
| D071810 | 10"  | 250         | 8-40                | 1/6/48  |

- Dual-color plastic-dipped textured handle, comfortable grip
- Precisely ground head, High-temperature quenched, high hardness.



### Pump Pliers



| Item #  | Size | Length(mm) | Clamping Range (mm) | Qty    |
|---------|------|------------|---------------------|--------|
| D072008 | 8"   | 200        | 5-35                | 1/6/60 |
| D072010 | 10"  | 250        | 8-55                | 1/6/48 |
| D072012 | 12"  | 300        | 12-65               | 1/6/36 |

- Multi-gear adjustable for flexible operation.
- Dual-color plastic-dipped textured handle, comfortable grip



### T Handle Socket Wrench




| Item #  | Size | Total Length (mm) | Handle Length (mm) | Qty/Ctn |
|---------|------|-------------------|--------------------|---------|
| D074308 | 8mm  | 297               | 185                | 1/20/80 |
| D074310 | 10mm | 297               | 185                | 1/20/80 |
| D074312 | 12mm | 297               | 185                | 1/20/80 |
| D074314 | 14mm | 297               | 185                | 1/20/80 |
| D074317 | 17mm | 297               | 185                | 1/20/80 |

- Socket CR-V, sturdy, durable, mirror chrome-plated, corrosion-resistant.




## Slotted Screwdriver



| Item #  | Specification | D (mm) | L (mm) | Qty/Ctn  |
|---------|---------------|--------|--------|----------|
| D090309 | 6x100mm       | 6      | 209    | 1/12/144 |
| D090310 | 6x125mm       | 6      | 234    | 1/12/144 |
| D090311 | 6x150mm       | 6      | 259    | 1/12/144 |
| D090312 | 6x200mm       | 6      | 309    | 1/12/144 |
| D090315 | 8x200mm       | 8      | 317    | 1/12/120 |
| D090316 | 8x250mm       | 8      | 367    | 1/12/96  |
| D090317 | 8x300mm       | 8      | 417    | 1/12/96  |

- Batch rod: overall heat-treated, CR-V material
- Head: magnetized, rod surface electroplated for excellent rust resistance
- Family-designed handle, comfortable grip


## Philips Screwdriver



| Item #  | Specification | D (mm) | L (mm) | Qty/Ctn  |
|---------|---------------|--------|--------|----------|
| D090409 | PH2x100mm     | 6      | 209    | 1/12/144 |
| D090410 | PH2x125mm     | 6      | 234    | 1/12/144 |
| D090411 | PH2x150mm     | 6      | 259    | 1/12/144 |
| D090412 | PH2x200mm     | 6      | 309    | 1/12/144 |
| D090415 | PH3x200mm     | 8      | 317    | 1/12/120 |
| D090416 | PH3x250mm     | 8      | 367    | 1/12/96  |
| D090417 | PH3x300mm     | 8      | 417    | 1/12/96  |

- Batch rod: overall heat-treated, CR-V material
- Head: magnetized, rod surface electroplated for excellent rust resistance
- Family-designed handle, comfortable grip


## Go-through Slotted Screwdriver



| Item #  | Specification | D (mm) | L (mm) | Qty/Ctn |
|---------|---------------|--------|--------|---------|
| D090902 | 8x150mm       | 8      | 271    | 1/12/96 |
| D090903 | 8x200mm       | 8      | 321    | 1/12/72 |
| D090904 | 8x250mm       | 8      | 371    | 1/12/72 |

- Batch rod: overall heat-treated, CR-V material
- Head: magnetized, rod surface electroplated for excellent rust resistance
- Family-designed handle, comfortable grip
- Through-type hex shank, suitable for striking use

## Go-through Philips Screwdriver



| Item #  | Specification | D (mm) | L (mm) | Qty/Ctn  |
|---------|---------------|--------|--------|----------|
| D091001 | PH2x150mm     | 6      | 264    | 1/12/120 |
| D091002 | PH3x150mm     | 8      | 271    | 1/12/96  |
| D091003 | PH3x200mm     | 8      | 321    | 1/12/72  |
| D091004 | PH3x250mm     | 8      | 371    | 1/12/72  |

- Batch rod: overall heat-treated, CR-V material
- Head: magnetized, rod surface electroplated for excellent rust resistance
- Family-designed handle, comfortable grip
- Through-type hex shank, suitable for striking use

### 6Pcs Precision Screwdriver Set

| Item #         | Specification                                                       | Qty/Ctn |
|----------------|---------------------------------------------------------------------|---------|
| <b>D091430</b> | SL1.4×45mm, SL2×45mm<br>SL2.4×45mm, SL3×45mm<br>PH00×45mm, PH0×45mm | 1/12/48 |

- Batch rod: overall heat-treated, CR-V material
- Multiple specifications, multi-scene applicable



### 55 pcs Screwdriver Bits Set

| Item #         | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Qty/Ctn |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>D092502</b> | 21pcs Hex 6.35x25mm Screwdriver Bits:<br>SL4, SL5, SL6, PH1, PH2, PH2, PH3, PZ1,<br>PZ2, PZ3, T10, T15, T20, T25, T30, T40, H3, H4,<br>H5, H6<br><br>20pcs Hex 4x28mm Precision Screwdriver Bits:<br>SL1.5, SL2, SL2.5, SL3, PH000, PH00, PH0, PH1,<br>T6, T7, T8, T9, T10, T15, T20, H1.5, H2, H2.5, H3, H4<br><br>9pcs Square 6.35mm<br>Socket: 4/5/6/7/8/9/10/11/12mm<br><br>1 pc Bit Holder Hex 4x60mm, 1pc Bit Holder Hex<br>1/4"x50mm, 1pc Hex-to-square 1/4" adaptor 25mm<br><br>1 pc Ratchet Screwdriver Handle Hex 1/4", 1pc<br>Precision Screwdriver Handle Hex 4mm | 1/6/12  |



### 9pcs Hex Key Set

| Item #         | Style           | Specification            | Qty/Ctn |
|----------------|-----------------|--------------------------|---------|
| <b>D092600</b> | Standard Length | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/60  |
| <b>D092601</b> | Long            | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/48  |
| <b>D092602</b> | Extra Long      | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/48  |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic



### 8Pcs Folding Hex Key Set

| Item #         | Specification         | Qty/Ctn |
|----------------|-----------------------|---------|
| <b>D092603</b> | 1.5/2/2.5/3/4/5/6/8mm | 1/12/96 |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic



## 9pcs Ball Point Hex Key Set



| Item #  | Style           | Specification            | Qty/Ctn |
|---------|-----------------|--------------------------|---------|
| D092900 | Standard Length | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/60  |
| D092901 | Long            | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/48  |
| D092902 | Extra Long      | 1.5/2/2.5/3/4/5/6/8/10mm | 1/6/48  |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic

## 8Pcs Folding Ball Point Hex Key Set



| Item #  | Specification         | Qty/Ctn |
|---------|-----------------------|---------|
| D092903 | 1.5/2/2.5/3/4/5/6/8mm | 1/12/96 |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic

## Hand Riveter



| Item #  | Specification | Qty/Ctn |
|---------|---------------|---------|
| D093000 | 230mm (9")    | 1/10/40 |

- 2-piece jaw, CR-Mo material, excellent wear resistance
- Rivet ejects when handle opens after use
- Built-in dedicated nozzle wrench inside handle
- Including 2.4, 3.2, 4.0, 4.8mm nozzles

## 9pcs Long Torx Key Set



| Item #  | Style | Specification                               | Qty/Ctn |
|---------|-------|---------------------------------------------|---------|
| D093101 | Long  | T10, T15, T20, T25, T27, T30, T40, T45, T50 | 1/6/48  |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic

## 8Pcs Folding Torx Key Set



| Item #  | Specification                         | Qty/Ctn |
|---------|---------------------------------------|---------|
| D093103 | T9, T10, T15, T20, T25, T27, T30, T40 | 1/12/96 |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic

### 18pcs Extra Long Hex Key & Torx Key Set

| Item #  | Style      | Specification                                                                                                                                    | Qty/Ctn |
|---------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| D093106 | Extra Long | 9pcs Extra Long Hex Key<br>Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm<br>9pcs Extra Long Torx Key<br>Set: T10, T15, T20, T25, T27, T30, T40, T45, T50 | 1/4/24  |

- CR-V hex, fully heat-treated
- Matte chrome-plated, superior rust resistance
- Family-style plastic frame, industrial aesthetic



### Claw Hammer

| Item #  | Specification | L(mm) | W(mm) | H(mm) | Qty/Ctn |
|---------|---------------|-------|-------|-------|---------|
| D100401 | 160Z          | 330   | 135   | 33    | 1/6/24  |



### Rubber Hammer

| Item #  | Specification | L(mm) | W(mm) | H(mm) | Qty/Ctn |
|---------|---------------|-------|-------|-------|---------|
| D101800 | 80Z           | 295   | 79    | 53    | 1/6/36  |
| D101801 | 160Z          | 300   | 95    | 63    | 1/6/24  |


- Hammer head made of high-quality rubber, excellent elasticity
- Soft-surface hammer head, non-damaging to struck objects
- Hammer head and handle embedded, anti-falling, high safety



### Wood Chisel Set

| Item #  | Specification                  | Qty/Ctn |
|---------|--------------------------------|---------|
| D102200 | 3pcs: 12x140, 19x140, 25x140mm | 1/4/16  |

- CR-V blade, laser marked
- Fully heat-treated blade, re-sharpenable edge for sharpness
- 2-color PP+TPR handle, ergonomic, comfortable grip
- Multiple head types, multi-scene applicable



### Snap-off Knife

| Item #  | Blade Angle | Blade Specification | Cutter Head Quantity | Qty/Ctn  |
|---------|-------------|---------------------|----------------------|----------|
| D110118 | 60°         | 0.5*18*100mm        | 8 sections           | 1/24/288 |

- High-quality PP knife body, sturdy and pressure-resistant
- Ferritic stainless steel blade clamp, with foldable design at the end, safe and durable
- High-carbon spring steel blade, sharp and wear-resistant



## Snap-off Knife



| Item #  | Blade Angle | Blade Specification | Cutter Head Quantity | Qty/Ctn  |
|---------|-------------|---------------------|----------------------|----------|
| D110119 | 60°         | 0.5*18*100mm        | 8 sections           | 1/12/144 |

- High-carbon spring steel blade, 1+2 blade set
- With foldable knife design at the tail end, safe and durable
- PS+TPR flexible rubber-coated housing, comfortable and anti-slip

## Utility Knife



| Item #  | Blade Specification | Blade Shape | Qty/Ctn  |
|---------|---------------------|-------------|----------|
| D110401 | 0.5*19*61mm         | T-shaped    | 1/12/144 |

- High-carbon spring steel blade, sharp and wear-resistant
- Aluminum alloy blade body, lightweight and sturdy
- 3-stage adjustable blade telescopic length

## Utility Knife Blade



| Item #  | Blade Shape | Blade Material | Blade Specification | Qty/Ctn  |
|---------|-------------|----------------|---------------------|----------|
| D110501 | T-shaped    | CK75           | 0.6*19*61mm         | 1/10/400 |

- High-quality blade material with precision machining, sharp and durable
- Packaging and pricing notes: 10 blades per plastic box; plastic box serves as the minimum sales unit and pricing unit

## Snap-off Blade



| Item #  | Blade Angle | Blade Specification | Blade Material | Cutter Head Qty | Qty/Ctn  |
|---------|-------------|---------------------|----------------|-----------------|----------|
| D110518 | 60°         | 0.5*18*100mm        | CK75           | 15 sections     | 1/20/320 |
| D110519 | 60°         | 0.6*18*100mm        | SK5            | 15 sections     | 1/20/320 |

- High-quality blade material with precision machining, sharp and durable
- Packaging and pricing notes: 10 blades per plastic box; plastic box serves as the minimum sales unit and pricing unit

## Metal Scraper



| Item #  | Scraper Knife Length | Blade Width | Blade Length | Blade Thickness | Qty/Ctn  |
|---------|----------------------|-------------|--------------|-----------------|----------|
| D111025 | 250mm                | 18mm        | 98mm         | 0.5mm           | 1/30/180 |

- Die-cast aluminum alloy cutter head, lightweight and attractive
- ABS handle with a built-in screwdriver in the tail cap, facilitating blade removal
- Hollow handle design; after removing the screwdriver tail cap, it can be extended with an extension rod

## Metal Scraper



| Item #  | Scraper Knife Length | Blade Width | Blade Length | Blade Thickness | Qty/Ctn  |
|---------|----------------------|-------------|--------------|-----------------|----------|
| D111028 | 280mm                | 18mm        | 98mm         | 0.5mm           | 01/10/60 |
| D111038 | 380mm                | 18mm        | 98mm         | 0.5mm           | 01/10/60 |

- Die-cast aluminum alloy cutter head, lightweight and attractive
- ABS handle with a built-in screwdriver in the tail cap, facilitating blade removal
- Hollow handle design; after removing the screwdriver tail cap, it can be extended with an extension rod

| Item #  | Cutting Range | Blade Material | Cutting Body Material | Overall Length | Qty/Ctn |
|---------|---------------|----------------|-----------------------|----------------|---------|
| D114032 | 4-32mm        | Alloy Steel    | Aluminium Alloy       | 135mm          | 1/10/50 |
| D114070 | 6-70mm        | Alloy Steel    | Aluminium Alloy       | 230mm          | 1/5/20  |

- Body made of aluminum alloy, sturdy and durable
- Hard alloy steel blade, sharp for cutting
- Roller bearing design, enabling more flexible and precise operation

### Metal Pipe Cutter



### Aviation Slip



| Item #  | Model #       | Specs | Overall Length | Overall Length                | Qty/Ctn |
|---------|---------------|-------|----------------|-------------------------------|---------|
| D115201 | Left Head     | 10"   | 250mm          | Cold Rolled Steel Sheet 1.0mm | 1/6/48  |
| D115202 | Straight Head | 10"   | 250mm          | Cold Rolled Steel Sheet 1.0mm | 1/6/48  |
| D115203 | Right Head    | 10"   | 250mm          | Cold Rolled Steel Sheet 1.0mm | 1/6/48  |

- Cr-V forged cutter head, with heat-treated cutting edge
- Serrated cutting edge design, featuring strong gripping force and non-slip performance
- Lever labor-saving structure design, equipped with a rubber handle, enabling easy cutting and comfortable grip



### Bolt Cutter



| Item #  | Specs | Overall Length | Maximum Cutting Thickness | Qty/Ctn |
|---------|-------|----------------|---------------------------|---------|
| D115312 | 12"   | 300mm          | Medium-Carbon Steel Ø4mm  | 1/-/20  |
| D115318 | 18"   | 450mm          | Medium-Carbon Steel Ø6mm  | 1/-/12  |
| D115324 | 24"   | 600mm          | Medium-Carbon Steel Ø8mm  | 1/-/10  |
| D115336 | 36"   | 900mm          | Medium-Carbon Steel Ø12mm | 1/-/5   |

- Pliers body made of high-quality carbon tool steel, with overall heat treatment and high-frequency quenching on the cutting edge
- Thickened steel pipe with surface plastic-sprayed treatment for better rust resistance
- Two-color pliers handle sleeve, comfortable to grip



### Wall Board Saw



| Item #  | Specs | Saw Blade Length | Saw Blade Length Material | Qty/Ctn |
|---------|-------|------------------|---------------------------|---------|
| D120206 | 6"    | 150mm            | 65Mn                      | 1/6/60  |

- 65Mn saw blade, double-sided grinding with 7-tooth process, sharp and durable
- Two-color rubber-coated handle, comfortable to hold



## Hacksaw Frame



| Item #  | Specification | Saw Blade Length | Overall Length | Qty/Ctn |
|---------|---------------|------------------|----------------|---------|
| D121012 | 12"           | 300mm            | 430mm          | 1/6/36  |

- High-quality square tube saw frame, with stable and sturdy overall structure
- 65Mn alloy saw blade, sharp cutting
- Rubber-coated handle design, comfortable to grip

## Hand Saw (Plastic Handle)



| Item #  | Specs | Saw Blade Length | Saw Blade Length Material | Qty/Ctn |
|---------|-------|------------------|---------------------------|---------|
| D121015 | 16"   | 400mm            | 65Mn                      | 1/6/36  |

- 65Mn saw blade, double-sided grinding with 7-tooth process, sharp and durable
- Special chip groove design, smooth chip removal, easy to use

## Hand Saw (Rubber Coated Handle)



| Item #  | Specs | Saw Blade Length | Saw Blade Length Material | Qty/Ctn |
|---------|-------|------------------|---------------------------|---------|
| D121016 | 16"   | 400mm            | 65Mn                      | 1/6/36  |

- 65Mn saw blade, double-sided grinding with 7-tooth process, sharp and durable
- Two-color rubber-coated handle, comfortable to hold

## Hacksaw Blade



| Item #  | Spec | Saw Blade Length | Teeth Count | Saw Blade Material | Qty/Ctn   |
|---------|------|------------------|-------------|--------------------|-----------|
| D121501 | 12"  | 300mm            | 24T         | 65Mn               | 1/10/1000 |

- Stable and reliable performance, sharp and wear-resistant

## Bi-Metal Hacksaw Blade



| Item #  | Spec | Saw Blade Length | Teeth Count | Saw Blade Material | Qty/Ctn   |
|---------|------|------------------|-------------|--------------------|-----------|
| D121502 | 12"  | 300mm            | 24T         | M2+D6A             | 1/10/1000 |

- Main body: spring steel; saw teeth: high-speed steel, sharp cutting and wear-resistant
- Surface with two-color spray painting process, rust-resistant and aesthetic

## Spirit Level (1 Level Bubble)



| Item #  | Specification | Level Bubble Accuracy | Qty/Ctn  |
|---------|---------------|-----------------------|----------|
| D131101 | 100mm         | 0.5mm/m               | 1/20/100 |

- Mini design, easy to carry
- Ruler body with scale, can assist measurement

## Spirit Level (3 Level Bubble)



| Item #  | Specs | Level Bubble Accuracy           | Qty/Ctn |
|---------|-------|---------------------------------|---------|
| D131103 | 300mm | 180°: 0.5mm/m 90°/45°: 0.75mm/m | 1/10/50 |
| D131104 | 400mm | 180°: 0.5mm/m 90°/45°: 0.75mm/m | 1/10/50 |
| D131105 | 600mm | 180°: 0.5mm/m 90°/45°: 0.75mm/m | 1/10/50 |

- Three horizontal bubbles, suitable for a variety of working conditions
- Plastic end cap, excellent drop resistance
- Ruler body with scale, can assist measurement

| Item #  | Range(mm) | Reading (mm & inch) | Qty/Ctn |
|---------|-----------|---------------------|---------|
| D132104 | 0-150     | 0.05/1/128"         | 1/10/50 |
| D132105 | 0-200     | 0.05/1/128"         | 1/10/50 |

- Made of carbon steel material, hardened measuring surface
- Can measure inner diameter, outer diameter, depth, and steps
- Metric and imperial laser scale, clear and wear-resistant



| Item #  | Range(mm) | Reading (mm) | Qty/Ctn |
|---------|-----------|--------------|---------|
| D132311 | 0-150     | 0.01         | 1/5/30  |
| D132312 | 0-200     | 0.01         | 1/5/30  |

- Stainless steel ruler body, the whole heat treatment, not easy to rust and durable
- Ruler body is polished, smooth force measurement
- With data memory function
- Thicker body, not easy to deform
- Large digital display, clear readings



| Item #  | Measuring Range | Overall Length | Qty/Ctn |
|---------|-----------------|----------------|---------|
| D152603 | 100-250VAC      | 138mm          | 30/600  |
| D152604 | 100-250VAC      | 193mm          | 24/600  |

- Long-life neon lamps with a long service life
- Transparent plastic handle, anti-drop, insulated and safe to use
- High-quality chromium-vanadium steel tool holder, with high hardness and strong torque



| Item #  | Models | Stripping Range | Qty/Ctn |
|---------|--------|-----------------|---------|
| D153805 | 6.5寸   | 0.2mm~4mm       | 01/5/50 |

- Duckbill design, allowing for the stripping of flat lines up to 8mm wide
- The stripping length is adjustable, effectively increasing the stripping speed
- The stripping force can be adjusted, allowing for the use of wires of different diameters



| Item #  | Specification     | Qty/Ctn |
|---------|-------------------|---------|
| D170804 | 360×175×180mm/14" | 1/-/12  |
| D170805 | 405×215×190mm/16" | 1/-/9   |
| D170806 | 450×235×210mm/18" | 1/-/6   |

- Box is made of high strength PP material, strong and durable.
- Multi-functional parts box design, easy to store small accessories
- Contained tray, free combination of storage



**Plastic Tool Box**

| Item #         | Specification     | Qty/Ctn |
|----------------|-------------------|---------|
| <b>D170904</b> | 430×230×210mm/17" | 1/-/6   |
| <b>D170905</b> | 490×270×225mm/19" | 1/-/6   |
| <b>D170906</b> | 540×330×260mm/21" | 1/-/4   |

- Box is made of thickened PP material, the whole body reinforcement design, sturdy and impact resistance
- Multi-functional parts box design, easy to store small accessories
- Contained tray, can be freely combined storage